

Never compromise on quality!





PVCu SOLVENT CLEANER Solvent Cleaner

Description

A fast acting, cleaner that removes ingrained dirt and restores surface colour.

Uses

Specially formulated to remove all types of contamination from PVC frames and cladding. Bond It **PVCu SOLVENT CLEANER** is particularly suitable for removal of heavy, stubborn staining on PVCu frames.

Application

DO NOT SMOKE WHILST USING THIS PRODUCT!

Use heavy gloves to protect hands from solvent.

Soak a clean absorbent cloth with Bond It PVCu SOLVENT CLEANER and rub the contaminated areas, repeat process keeping the cloth well wetted with cleaner.

"Scotch Pad" abrasive may be used on damaged ares of PVC after the user has ascertained that the change in surface appearance is acceptable.

Polish up the cleaned surface with a clean dry cloth.

Limitations

Do not use on painted (coloured PVCu). Use with extreme care on woodgrain PVCu.

Storage Conditions

According to flammable liquid regulations. Avoid all sources of ignition.

Shelf Life

24 months when stored according to manufacturers instructions.

Disposal of Containers

Do not leave empty containers where residue could be harmful to children, animals or the environment. Replace lids and remove any containers to a central disposal point in accordance with local regulations.

Health & Safety

Please refer to separate material safety data sheet for full handling, use and storage instructions. Keep out of reach of children. It is the users responsibility to determine suitability for use. If in doubt contact our Technical Department for advice.

Note: this information is for general guidance only, since site conditions and labour are beyond our control. It is recommended that users make their own tests to determine suitability.

Specification Summary	
Appearance	Opaque / white Liquid
Flammability	Non flammable
Flashpoint	<21°C
рН	N/A
Solubility In Water	Immiscible

Container Sizes

Code:	BDC003	BDC005	
Size:	1L	25L	
Barcode:	5060021361066	5060021362193	

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties rights and, if necessary clarifying the position. Recommendations for use do not constitute a warranty, either expressed or implied, of the fitness or suitability of the products for a particular purpose.









V1 30/8/03 Supercedes: V

bond it