Internal Use Only

Access Panel Guide

2024

July



FlipFix Access Panels

What is the Flipfix Fitting Device?

There is no longer a need to brace or support the structural opening, and no extra screws or glue required. You simply follow the fitting instructions, close the door and walk away.

A construction project requiring 300 number 600mm x 600mm Access Panels would save up to 40 hours on fitting time Compared to traditional Access Panels when using FlipFix. That amounts to reducing the time spent on site by one whole week plus materials, which should hopefully reflect in future tender submissions.

Fitting Video

FlipFix Fitting Device

Unique Flipfix fitting device which saves 80% on fitting time compared to a standard access panel. No screws, glues or additional materials required.

Flush Lock (FL)

No more broken or missing bungs. Spring loaded flush lock, supplied on most Flipfix products which provides a sleek discreet finish.

Plasterboard Panel (PD)

Dual Purpose plasterboard faced panel supplied with a beaded frame as standard (picture frame is available upon request). Suitable for plastering within the wall or ceiling providing a discreet finish which can then be decorated. Available in fire and none fire rated options.

Circular Panel (CIR)

Ceiling only metal faced panel supplied with a picture or beaded frame. These panels are suitable for installing into a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.

Mitreless Frame (PF)

Mitreless picture frame available on our stock range sizes up to 600x600mm. Frame is manufactured from one piece of steel meaning no mitred joints. This gives a more robust product with a professional discreet finish so less snagging on site.

Metal Panel (MD)

Dual purpose metal faced panel supplied with a picture or beaded frame. These panels are suitable for installing into a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.

Tile Panel (TD)

Wall only moisture board faced panel to take ceramic tiles on site supplied with a beaded frame as standard. Fitted with a budget lock as standard, other lock options available upon request. These panels can be tiled over providing a discreet finish with the rest of the wall. Available none fire rated only.

- ✓ 80% Faster Fitting
- ✓ Reusable
- ✓ Easy to Fit
- ✓ No Extra Materials Needed
- ✓ Walls / Ceiling
- ✓ Fire Rating
- ✓ Extra Lock options
- ✓ Durable
- ✓ Pop out Template on stock sizes
- ✓ Excellent Finish

RapidFit Riser Doors

What is the RapidFit Sliding Hinge?

The RapidFit hinge system allows quick and easy installation by reducing door fitting times on site by as much as 95% compared to the traditional piano hinge system.
The Access Panel door is installed into the frame by aligning the spring loaded hinge pins and clicking them into place.

This panel has been tested and can save you up to 30 Minutes per panel on installation times when compared to an 1800 x 600mm traditional piano hinge Access Panel.

RapidFit Sliding Hinge

Spring loaded Rapid Fit pin hinge, quicker to install than a piano hinge riser door.

Fitting Video

3 Way Lock

Supplied with a 3 Point Budget Locking System as standard. Other lock options are available upon request.

One Person Installation

Easy installation by one person, simply lift the door locate the bottom pin and slide the spring loaded pin along the top frame until it clicks into place.

Airtight Rating

Available air pressure tested in product ranges up to class 4 when tested at 600pa.

Acoustic Rating

Available acoustic rated up to 37Db.

Plasterboard Door (R53)

Wall only plasterboard faced panel supplied with a beaded door & frame as standard (picture frame is available upon request). Suitable for plastering within the wall providing a discreet finish which can then be decorated. Available in fire and none fire rated options.

Metal Door (R51, R57)

Wall only metal faced panel supplied with a picture or beaded frame. These panels are suitable for retro fitting to a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.

- ✓ 30mins Quicker to fit
- ✓ Acoustic Available
- ✓ Easy to Fit
- ✓ Smoke Tested Available
- ✓ Fire Rating
- ✓ Airtight Available
- ✓ One man fit
- ✓ Intumescent Strips

FlipFix Metal Faced

Picture Frame - Walls & Ceilings

Flush Lock

FlipFix Fitting Device

2 Hour Fire Rated

Beaded / Picture Frame

Features

Fitting: Suitable for installation in to both walls and ceilings

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Mitreless Picture Frame or Standard Beaded Frame

Lock Types: Flush Lock as standard (others available)

Installation: The unique FlipFix Fitting Device

(Saves up to 80% on Fitting times)

Non Fire Rated FF/000/MD/PF/FL

Sizes (mm)	RRP	Your Price
150 x 150		
200 x 200		
300 x 300		
350 x 350		
400 x 400		
450 x 450		
500 x 500		
550 x 550		
600 x 300		
600 x 600		
900 x 600		
1200 x 600		

Panel: FlipFix (FF)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Flush Lock (FL)
Fitting: Walls & Ceilings

View on site

1 Hour Fire Rated FF/060/MD/PF/FL

Sizes (mm)	RRP	Your Price
150 x 150		
200 x 200		
300 x 300		
350 x 350		
400 x 400		
450 x 450		
500 x 500		
550 x 550		
600 x 300		
600 x 600		
900 x 600		
1200 x 600		

Panel: FlipFix (FF)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Flush Lock (FL)
Fitting: Walls & Ceilings

View on site

2 Hour Fire Rated FF/120/MD/PF/FL

Sizes (mm)	RRP	Your Price
150 x 150		
200 x 200		
300 x 300		
450 x 450		
550 x 550		
600 x 300		
600 x 600		

Panel: FlipFix (FF)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Flush Lock (FL)
Fitting: Walls & Ceilings

View on site

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

FlipFix Plasterboard Faced

Beaded Frame - Wall Panel

Budget Lock

FlipFix Fitting Device

1 Hour Fire Rated

Beaded Frame

Features

Fitting: Suitable for installation in to both walls and ceilings

Fire Rating: Available up to 1 Hours Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Beaded or Picture Frame

Lock Types: Budget Lock as standard (others available)

Installation: The unique FlipFix Fitting Device

(Saves up to 80% on Fitting times)

Non Fire Rated FF/000/PD/BF/BL

Sizes (mm)	RRP	Your Price
150 x 150		
200 x 200		
300 x 300		
450 x 450		
550 x 550		
600 x 300		
600 x 600		

Panel: FlipFix (FF)
Fire Rating: Non Fire Rated (000)
Panel Type: Plasterboard Faced (PD)
Frame: Beaded Frame (BF)
Lock Type: Budget Lock (BL)
Fitting: Walls & Ceilings

View on site

1 Hour Fire Rated FF/060/PD/BF/BL

Sizes (mm)	RRP	Your Price
150 x 150		
200 x 200		
300 x 300		
450 x 450		
550 x 550		
600 x 300		
600 x 600		

Panel: FlipFix (FF)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Plasterboard Faced (PD)
Frame: Beaded Frame (BF)
Lock Type: Budget Lock (BL)
Fitting: Walls & Ceilings

View on site

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

FlipFix Tile Door

Beaded Frame - Wall Panel

Touch Catch

FlipFix Fitting Device

Non Fire Rated

Beaded Frame

Features

Fitting: Suitable for installation in to walls only

Fire Rating: Non Fire Rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Beaded Frame only

Lock Types: Touch Catch as standard (others available)

Installation: The unique FlipFix Fitting Device

Non Fire Rated FF/000/TD/BF/TC

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	POA
Up to	N/A	POA
600 x 600	N/A	POA
(Single Door)	N/A	POA

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: FlipFix (FF)
Fire Rating: Non Fire Rated (000)
Panel Type: Tile Door (TD)
Frame: Beaded Frame (BF)
Lock Type: Touch Catch (TC)
Fitting: Walls only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

FlipFix Circular

Picture Frame - Ceiling Panel

No Lock, Twist Door

FlipFix Fitting Device

2 Hours Fire Rated

Picture Frame

Features

Fitting: Suitable for installation in to ceilings only

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Picture Frame or Beaded Frame

Lock Types: No Lock, Safety Wire attached (others available)

Installation: The unique FlipFix Fitting Device

Non Fire Rated FF/000/MD/PF/NL/CIR/SW

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	200mm Dia	
N/A	Up to	
N/A	600mm Dia	
N/A	(Single Door)	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: FlipFix (FF)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Door (MD)
Frame: Picture Frame (PF)
Lock Type: No Lock (NL)
Fixtures: Safety Wire (SW)
Fitting: Ceilings only

1 Hour Fire Rated FF/060/MD/PF/NL/CIR/SW

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	200mm Dia	
N/A	Up to	
N/A	600mm Dia	
N/A	(Single Door)	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: FlipFix (FF)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Door (MD)
Frame: Picture Frame (PF)
Lock Type: No Lock (NL)
Fixtures: Safety Wire (SW)
Fitting: Ceilings only

2 Hour Fire Rated FF/120/MD/PF/NL/CIR/SW

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	200mm Dia	
N/A	Up to	
N/A	300mm Dia	
N/A	(Single Door)	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: FlipFix (FF)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Door (MD)
Frame: Picture Frame (PF)
Lock Type: No Lock (NL)
Fixtures: Safety Wire (SW)
Fitting: Ceilings only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

RapidFit Metal Riser Door

Picture Frame - Wall Panel

3 Way Lock

RapidFit Hinge

2 Hour Fire Rated

Beaded / Picture Frame

Acoustic / Airtight available

Features

Fitting: Suitable for installation in to walls only

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: Available up to 36dB rated

Airtight Rating: Available Airtight

Smoke Rating: Available Smoke Tested

Frame Types: Picture Frame or Beaded Frame

Lock Types: 3 Way Lock as standard (others available)

Installation: RapidFit Hinge (30 mins quicker to fit).

Non Fire Rated RS1/000/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2400 x 1800	N/A	
Double Door on widths above 1000mm	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (RS1)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

1 Hour Fire Rated RS1/060/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2400 x 1800	N/A	
Double Door on widths above 1000mm	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (RS1)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

2 Hour Fire Rated RS1/120/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2400 x 1800	N/A	
Double Door on widths above 1000mm	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (RS1)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

RapidFit Plasterboard Riser Door

Beaded Frame - Wall Panel

3 Way Lock

RapidFit Hinge

2 Hour Fire Rated

Beaded Frame

Acoustic / Airtight Available

Features

Fitting: Suitable for installation in to walls only

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: Available up to 37dB rated

Airtight Rating: Available up to Class 2

Smoke Rating: Available Smoke Tested

Frame Types: Picture Frame or Beaded Frame

Lock Types: 3 Way Lock as standard (others available)

Installation: RapidFit Hinge (30 mins quicker to fit).

Non Fire Rated R53/000/PD/BF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2400 x 1800	N/A	
Double Door on widths above 1000mm	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Plasterboard Riser Door (R53)
Fire Rating: Non Fire Rated (000)
Panel Type: Plasterboard Faced (PD)
Frame: Beaded Frame (BF)
Lock Type: 3 Way Lock (L12A)
Fitting: Walls only

1 Hour Fire Rated R53/060/PD/BF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2000 x 1800	N/A	
Double Door on widths above 1000mm	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Plasterboard Riser Door (R53)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Plasterboard Faced (PD)
Frame: Beaded Frame (BF)
Lock Type: 3 Way Lock (L12A)
Fitting: Walls only

2 Hour Fire Rated R53/120/PD/BF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2000 x 600	N/A	
Double Door not available	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Plasterboard Riser Door (R53)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Plasterboard Faced (PD)
Frame: Beaded Frame (BF)
Lock Type: 3 Way Lock (L12A)
Fitting: Walls only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

RapidFit Metal Riser Door

Picture Frame - Walls only

3 Way Lock

RapidFit Hinge

2 Hour Fire Rated

Beaded / Picture Frame

Acoustic / Airtight available

Features

Fitting: Suitable for installation in to walls only

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: Available up to 33dB rated

Airtight Rating: Available Airtight

Smoke Rating: Available Smoke Tested

Frame Types: Picture Frame or Beaded Frame

Lock Types: 3 Way Lock as standard (others available)

Installation: RapidFit Hinge (30 mins quicker to fit).

Non Fire Rated R57/000/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
2000 x 900	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (R57)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

1 Hour Fire Rated R57/060/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
1900 x 650	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (R57)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

2 Hour Fire Rated R57/120/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 300	N/A	
Up to	N/A	
1900 x 650	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Riser Door (R57)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Three Way Lock (L12A)
Fitting: Walls only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Slim Fit Access Panels

Picture Frame - Wall & Ceiling

R01

Budget Lock

Folding Fixing Tabs

2 Hour Fire Rated

Beaded / Picture Frame

Features

Fitting: Suitable for installation in to both walls and ceilings

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: Available up to 30dB rated

Airtight Rating: Available Airtight

Smoke Rating: Available Smoke Tested

Frame Types: Picture Frame or Beaded Frame

Lock Types: Budget Lock as standard (others available)

Installation: Folding fixing tabs

Other Features: Gas flue inspection hatch

Non Fire Rated R01/000/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
100 x 100	100 x 100	
Up to	Up to	
1200 x 1000	1200 x 1000	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R01)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Walls & Ceilings

1 Hour Fire Rated R01/060/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
100 x 100	100 x 100	
Up to	Up to	
1200 x 600	1200 x 600	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R01)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Walls & Ceilings

2 Hour Fire Rated R01/120/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
100 x 100	100 x 100	
Up to	Up to	
1200 x 600	1200 x 600	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R01)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Walls & Ceilings

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Bespoke Metal Access Panels

Picture Frame - Wall & Ceiling

R02

Budget Lock

Traditional Fitting Method

4 Hour Fire Rated

Beaded / Picture Frame

Features

Fitting: Suitable for installation in to both walls and ceilings

Fire Rating: Available up to 4 Hours Fire rated

Acoustic Rating: Available up to 46dB rated

Airtight Rating: Available Airtight

Frame Types: Picture Frame or Beaded Frame

Lock Types: 3 Way Lock as standard (others available)

Installation: Traditional fitting method

Other Features: Multi Door Units available

Non Fire Rated

R02/000/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
150 x 150	150 x 150	
Up to	Up to	
3000 x 1800	3000 x 1800	
Double Door on widths above 1000mm	Double Door on widths above 1000mm	

Get in touch for more information
For a panel price get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R02)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Walls & Ceilings

1 Hour Fire Rated

R02/060/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
150 x 150	150 x 150	
Up to	Up to	
2600 x 2000	2600 x 2000	
Double Door on widths above 1000mm	Double Door on widths above 1000mm	

Get in touch for more information
For a panel price get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R02)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L12A)
Fitting: Walls & Ceilings

2 Hour Fire Rated

R02/E90/I60/MD/PF/L12A/48A

Sizes (Wall)	Sizes (Ceiling)	Your Price
150 x 150	150 x 150	
Up to	Up to	
2600 x 2000	2600 x 2000	
Double Door on widths above 1000mm	Double Door on widths above 1000mm	

Get in touch for more information
For a panel price get in touch with our sales team via the details on the back page

Panel: Metal Access Panel (R02)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L12A)
Fitting: Walls & Ceilings

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Metal Loft Hatch

Picture Frame - Ceiling Panel

R12

Budget Lock

Traditional Fitting Method

1 Hour Fire Rated

Beaded / Picture Frame

Features

Fitting: Suitable for installation in to ceilings only

Fire Rating: Available up to 1 Hour Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Picture Frame or Beaded Frame

Lock Types: Budget Lock as standard (others available)

Installation: Traditional fitting method

Other Features: Fully insulated door tray

Non Fire Rated R12/000/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	300 x 450	
N/A	Up to	
N/A	1000 x 1200	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Loft Hatch (R12)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Ceilings only

30 Mins Fire Rated R12/030/MD/PF/L12A

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	300 x 450	
N/A	Up to	
N/A	1200 x 900	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Loft Hatch (R12)
Fire Rating: 30 Mins Fire Rated (030)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: 3 Way Lock (L12A)
Fitting: Ceilings only

1 Hour Fire Rated R12/060/MD/PF/L11A

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	300 x 450	
N/A	Up to	
N/A	575 x 740	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Loft Hatch (R12)
Fire Rating: 1 Hour Fire Rated (060)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
Fitting: Ceilings only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Metal Loft Hatch with Ladder

Picture Frame - Ceiling Panel

R12

3 Way Lock

Traditional Fitting Method

Telescopic Ladder

Beaded / Picture Frame

Features

Fitting: Suitable for installation in to ceilings only

Fire Rating: Non Fire rated panel

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Picture Frame or Beaded Frame

Lock Types: 3 Way Lock as standard (others available)

Installation: Traditional fitting method

Other Features: Fully insulated door tray

Non Fire Rated R12/000/MD/PF/L12A/LML

Sizes (Wall)	Sizes (Ceiling)	Your Price
N/A	540 x 720	
N/A	Up to	
N/A	1000 x 1200	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Loft Hatch (R12)
Fire Rating: Non Fire Rated (000)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: 3 Way Lock (L12A)
Fitting: Ceilings only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Plastic Access Panels

Picture Frame - Wall Panel

R15

No lock

Traditional Fitting Method

Non Fire Rated

Picture Frame



Features

Fitting: Suitable for installation in to both walls and ceilings

Fire Rating: This panel is not Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Picture Frame

Lock Types: No Lock as standard

Installation: Textured Finish

Non Fire Rated R15/000/PL/PF/NL

Sizes (mm)	RRP	Your Price
152 x 102		
203 x 203		
228 x 152		
305 x 305		
355 x 355		
WALL 457 x 457		

Panel: Plastic Access Panel (R15)
Fire Rating: Non Fire Rated (000)
Panel Type: Plastic Face (PL)
Frame: Picture Frame (PF)
Lock Type: No Lock (NL)
Fitting: Walls & Ceilings

View on site

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Meter Overbox

Picture Frame - Wall Panel

R16

Budget Lock

Traditional Fitting Method

2 Hour Fire Rated

Picture Frame

Features

Fitting: Suitable for installation in to walls only

Fire Rating: Available up to 2 Hours Fire rated

Acoustic Rating: This panel is not Acoustic rated

Airtight Rating: This panel is not Airtight rated

Frame Types: Picture Frame

Lock Types: Budget Lock, 8mm Triangular Electrical Cable Insert

Installation: Traditional Fitting Method

2 Hour Fire Rated R16/120/MD/PF/L11A/L33A

Sizes (Wall)	Sizes (Ceiling)	Your Price
300 x 200	N/A	
Up to	N/A	
1070 x 650	N/A	
(Single Door)	N/A	

See Product on Website
For a panel price scan the QR Code or get in touch with our sales team via the details on the back page

Panel: Metal Meter Overbox (R16)
Fire Rating: 2 Hour Fire Rated (120)
Panel Type: Metal Faced (MD)
Frame: Picture Frame (PF)
Lock Type: Budget Lock (L11A)
8mm Triangular Electrical Cabinet insert (L33A)
Fitting: Walls only

• £12.00 carriage charge on all orders under £100 | All prices are excluding VAT | 3 - 7 day lead time on bespoke

Lock Guide

FlipFix Flush Lock (FL)

The brand new FlipFix Flush Lock, replacing the bung on the front of the panel for a sleek clean design.

FFMD

Budget Lock (L11A)

This lock is the standard Access Panel lock. The lock has a mild steel casing with a spring mechanism, and is operated with a square key.

FFMD FFPD FFTD FFCIR

R01 R02 R12 R16

3 Way Lock (L12A)

This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel.

R51 R53

R57 R01 R02 R12

5mm Bit (L13A)

This lock can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The insert provides a medium level of security.

FFMD FFPD FFTD FFCIR R51 R53

R57 R01 R02 R12 R16

Key Retaining Lock (L14A)

This can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The key can only be removed when the panel is locked. This provides a medium level of security.

FFMD FFTD FFCIR R51 R53

R57 R01 R02 R12 R16

Castellated Key Lock (L16A)

Suited Locks are used where a number of Access Panels are required to be opened using the same key formation.
One key fits all the locks.

FFMD FFPD FFTD FFCIR

R01 R02 R12

3 Point Euro Cylinder Lock (L19A)

This lock enables the panels to be locked on 3 sides. The lock contains a central tongue, with rods locking in to the sides of the panel, and uses a security key.

R51 R53

R57 R01 R02 R12

Touch Catch (L20A)

This is a light duty touch catch. The catch is used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.

FFMD FFPD FFTD R51 R53

R57 R01 R02 R12

3 Way Lock with Thumb Turn (L19A, L29A)

This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel with thumb turn cylinder to open.

R51 R53

R57 R01 R02 R12 R16

Fitting Instructions

FlipFix Metal Faced Access Panel

NOTE: Apply intumescent sealant to the rear of the frame before installing 2 Hour Fire Rated Panels.
For a Beaded Frame Panel, apply skrim tape prior to plastering.

To fit the panel, cut the plasterboard to the structural opening size required ensuring the aperture is 5mm larger than the panel size. **Stock sizes are supplied with a perforated pop out template which is part of the box the panel arrived in.**

Place your frame into the aperture, no need to remove the door from the frame. Make sure you set your drill to a low torque setting before the next step. **If 2 hour fire rated apply Intumescent acrylic mastic on the rear of the frame jamb prior to installing the frame.**



Proceed to screw the Flipfix device in place until it grips on to the rear of the plasterboard securely.

Lock the door in place with key provided & ensure the door is flush when closed. You have successfully installed a FlipFix Access Panel!
For a beaded framed panel, apply skrim tape prior to to plastering.

Fitting Method can be used for the following panels:

Scan the QR code to see the fitting video

Fitting Video

FlipFix Metal Panel (MD)

FlipFix Tile Panel (TD)

FlipFix Plasterboard Panel (PD)

FlipFix Circular Panel (CIR)

Fitting Instructions

51 Range Metal Faced Access Panel

- **For a Beaded Frame Panel, apply skrim tape prior to plastering.**
- **Independent bracing or support may be required to take the weight of the panel.**

To remove the door from the frame; Open the door, pull to release the FastFit Hinge System and lift out the door.

Place the frame into the aperture ensuring the aperture is 7mm larger than the panel size. Mark the position of the hinge and door retaining pins located towards the hinge side.

Remove the frame & drill clearance holes for Spring Pin hinge and door retaining pins, as previously marked. Fill door frame Jamb with Mineral wool Infill (Site Supplied)

Fix the frame into the aperture using all the fixing holes. Ensure frame is square by measuring diagonally & flush to the wall. If fire, acoustic or airtight rated apply

Refit the door, place the lower Spring Pin hinge system into its location. Slide the top pin along inside the frame until the hinge system locates fully then close the door. If fire, acoustic or airtight rated apply Intumescent acrylic mastic to the rear of the frame, nominally 5mm wide sealing to the supporting construction.

Lock the door in place with key provided & ensure the door is flush when closed. For a beaded framed panel, apply skrim tape prior to to plastering.

Fitting Method can be used for the following panels:

Scan the QR code to see the fitting video

Fitting Video

Metal Faced Door (R51, R57)

Plasterboard Faced Door (R53)

Awarded Projects

Battersea Power Station

This legendary London landmark and surrounding area has been brought back to life as one of the most exciting and innovative mixed use neighbourhoods in the world.

Natural History Museum, London

The Natural History Museum in London is a museum that exhibits a vast range of specimens from various segments of natural history.

1 Hyde Park, London

Located at 100 Knightsbridge, London, stands as one of the city's most prestigious residential developments.

Aston University, Birmingham

The Aston University campus is located on a green 60 acre, self contained site in the centre of Birmingham.

The Peninsula, London

The Peninsula London offers 190 exquisitely styled guest rooms and suites by Architect and Designer of Interiors, Peter Marino.

Liverpool Football Club

Liverpool Football Club is a professional football club based in Liverpool, England. The club competes in the Premier League, the top tier of English football.

Awarded Projects

Heathrow Airport

Heathrow Airport, one of the world's busiest and most prominent international airports, requires top-tier access solutions that balance security and aesthetics.

The Shard, London

The Shard, an iconic skyscraper in London, represents one of the city's most prestigious architectural landmarks.

Royal Shakespeare Theatre

The Royal Shakespeare Theatre is a grade II* listed stage theatre owned by the Royal Shakespeare Company dedicated to the English playwright and poet William Shakespeare.

Bullring Shopping Centre

At Bullring & Grand Central – Birmingham's largest shopping centre – you'll find your favourite home stores, electronics shops and fashion brands all under one iconic roof.

The Mailbox, Birmingham

Mailbox Birmingham is a mixed-use development located within the city centre of Birmingham, England.

The Dorchester Hotel

Standing tall in Mayfair, The Dorchester is a luxury London landmark and home for those who make the world turn.

Services & Departments

We pride ourselves on our well integrated team of experts, offering world class customer service. This, combined with our well detailed product brochures, and large quote support mean we do all that we can to offer the best service we can.

Production

Rapid Access Ltd are a market leading manufacturer and supplier of standard and bespokeAccess Panels, Riser Doors, Loft Hatches, Fire rated Over Boxes, Electrical Boxes and many other Access products providing maintenance to Mechanical and Electrical services in buildings.

Rapid Access Ltd has a dedicated stock line, dedicated bespoke line and dedicated project line to enable a quick and swift lead time for all orders.

Panels produced by Rapid Access Ltd:
38,000 (Per Month Average)

Attleborough Facility - Stock Line:
1000 - 1200 (Per Day Average)

Nuneaton Manufacturing Facility - Bespoke Line:
500 - 750 (Per Day Average)

Sales Team

Our superb Sales Team are always on hand to assist you with any enquiries or queries you may have regarding your Access Panel requirements.

Our aim is to quote within the hour, and process your order providing we can assist you with your enquiry.

If we cannot we will refer you to the Technical Support team.

Large Quote Support

We can offer a large quote support with each quote over £5,000. This will include a pack containing:

- *Summary of quote*
- *Datasheets*
- *Test Certification*
- *Fitting Instructions*
- *History of the quote*
- *Benefits and Features*

Technical Support Team

The Technical Support Team are vastly experienced in all manner of detail regarding our Access Panel ranges.

The team are well versed in dealing with BOQs and Door Schedules.

They can assist with any specialist requirements that you may need.

Brochures

We can also provide you with a detailed brochure displaying our most popular and requested products. In this brochure:

- *Pricing Pages*
- *Lock Guide*
- *Benefits and Features*
- *Fitting Instructions*
- *Links to Datasheets & Test Certification*

Access Buddy Live Chat

We now have a dedicated area on our website where you can quickly chat with our sales team, or submit enquiries for instant responses.

Access Panel Builder

Answer a series of questions to identify the correct Access Panel solution, Click "Back" at any point to return to the previous step.

Don't know what you're looking for? Contact our expert sales team for help selecting the correct panel.

We have a new Website!

View our full Access Panel Range

Browse a list of our most popular Access Panels, from FlipFix to RapidFit. Here you can view Datasheets, Fitting Videos, and Technical Specifications, as well as make enquiries straight from the page.





View our Access Panel Range and many more at: **www.rapidaccessltd.com**

We're on BIMobject



The World's leading platform.

The BIMobject platform is the undisputed number 1 platform for BIM content, with the most visitors, registered users, objects and most importantly product views and downloads for hosted brands.

Check out our BIMobject portal our website: **www.rapidaccessltd.com/bim-objects**

Contact Details

Rapid Access

Lauren House, Aston Road

Nuneaton, CV11 5EG

T: 024 7632 8811

E: sales@rapidaccessltd.com

E: projects@rapidaccessltd.com

W: www.rapidaccessltd.com