

CASE STUDY



PROJECT

Honeywell Roof 1

PRODUCT



PROJECT SIZE

6000m²

PROJECT SPEC

Existing surface of Felt & Stone Chippings

PROJECT COMPLETED

Approx. 3 months

OVERVIEW

Fastcoat Pro is LRS' fast curing, PURE polyurethane waterproofing range. Fastcoat Pro is a single component brush or roller applied seamless and fully bonded membrane suitable for application onto both new build and refurbishment projects. With high flexibility and exceptionally tough characteristics Fastcoat offers protection for the most demanding and complicated projects.

PRODUCT BENEFITS

- Fast curing
- Showerproof in 30 mins
- Single component
- Seamless
- Extremely elastic
- Cold applied

Bonds to: OSB3 Roofing Boards, Old Felt, Asphalt, Concrete, Metal, Old Fibre Glass, Compatible with standard GRP trims.

*Primers maybe required



When LRS first attended site for the project the whole roof was covered in felt and stone chippings which needed to be removed before applying LRS FastCoat Pro. Approx. 160 tonne of gravel was removed from the roof to reveal a felted surface. The felt had embedded stone chippings which need to be scabbled to leave the surface as smooth as possible.



BEFORE



Stone chipping surface prior to being scabbled

SCABBLER USED



Scabbler used to remove the stone chippings that were embedded into the surface

SURFACE PREPARED



Once the felt had been scabbled the surface was smooth ready to accept the FastCoat Pro.

BASE COAT APPLIED



Base Coat and Reinforcement Matting being embedded into the base coat of FastCoat Pro

TOP COAT COMPLETE



First section of the roof Top-Coated using

WALKWAY INSTALLED



100lm of walkways installed over the completed Fastcoat Pro roof using LRS Fastcoat Pro Traffic Coat

COMPLETED ROOF



COMPLETED ROOF

