



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/DFE/KYKI90SQF

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works
Elland
West Yorkshire
HX5 9JA
www.wtknowles.co.uk

Restricted Flue Terminal

**DFE Insert 190mm Square
Spigot
KYKI90SQF**



Dimensions

| | | |
|---------|----------------|-------|
| Base: | Outside square | 185mm |
| | Inside square | 140mm |
| Top: | Wide | 390mm |
| Height: | 465mm | |

Intended Use

To be fixed to an existing chimney pot or flue liner, to convey combustion gases safely to atmosphere. For Solid Fuel Fires or Decorative Fuel Effect Fires.

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type I - restricted flue terminal Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

| | |
|-------------------------|--------------------------------|
| Flow Resistance (K): | Pass |
| Durability: Freeze/Thaw | Pass - BSI Test Report 8422446 |
| Dangerous Substances: | Not applicable |

Markings

WTK EN 13502 Type I **CE**
OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacturer's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles Managing Director

Elland 28th November 2019
Place and Date of Issue