

## FAKRO FLASHING KIT SELECTION CHART.

*All of the below information is subject to the roof pitch being confirmed.*

*ES\_, EL\_, EP\_ & EZ\_ Etc. means that depending on the roof pitch the flashing can be on the "V" or "J" level setting. (ESV, ELV, & EZV - Suitable for roof pitches of between 15-90° - EPV - Suitable for roof pitches of between 25-90° - ESJ, ELJ, & EZJ - Suitable for roof pitches of between 20-90° - EPJ - Suitable for roof pitches of between 25-90°). EH\_ means that depending on the roof pitch and tile profile depth and project requirements the flashing can be on the "V" or "N" level setting. (EHV & EHN - Suitable for roof pitches of between 15-90°*

| <b>Sandtoft. (Wienerberger UK)</b>       |     |          |
|------------------------------------------|-----|----------|
| 20/20                                    | EZ_ |          |
| Vauban                                   | EZ_ |          |
| 301 Plain Tile                           | EP_ |          |
| 303 Plain Tile                           | EP_ |          |
| 311 Handcrafted                          | EP_ |          |
| Alban                                    | EP_ |          |
| Arcadia                                  | EH_ |          |
| Balmoral                                 | EZ_ |          |
| Barrow                                   | EP_ |          |
| Bridgewater                              | EZ_ |          |
| BritlockSlate                            | EZ_ |          |
| Calderdale Slate                         | EZ_ |          |
| Cassius                                  | EZ_ |          |
| County                                   | EH_ |          |
| Dual Calderdale Slate                    | EZ_ |          |
| Dual TLE Concrete Tile                   | EZ_ | or EZ_-F |
| Double Roman                             | EH_ |          |
| TLE (Thin Leading Edge) Concrete Tile    | EZ_ | or EZ_-F |
| Flemish Interlocking Double Clay Pantile | EH_ |          |
| Gaelic                                   | EZ_ |          |
| Goxhill                                  | EP_ |          |
| Greenwood                                | EH_ |          |
| Humber                                   | EP_ |          |
| Lindum                                   | EZ_ |          |
| Modula                                   | EH_ |          |
| Neo Pantile                              | EH_ |          |
| Okewood                                  | EP_ |          |
| Old English                              | EH_ |          |
| Old Hollow                               | EH_ |          |
| Olympus                                  | EH_ |          |
| Rivius                                   | EZ_ |          |
| Sandtoft New Generation                  | EZ_ |          |
| Standard Pattern                         | EZ_ |          |
| Village                                  | EP_ |          |

| <b>Monier Redland.</b>        |     |
|-------------------------------|-----|
| Redland 90                    | EH_ |
| 50 Double Roman               | EH_ |
| Cambrian Slate                | EZ_ |
| Cathedral Clay Pantile        | EH_ |
| Concrete Plain Ornamental     | EP_ |
| Duo Plain                     | EZ_ |
| Fenland Pantile               | EH_ |
| Fontoubelle Clay              | EZ_ |
| Grovebury                     | EH_ |
| Heathland                     | EP_ |
| Heathland Ornamental          | EP_ |
| Landmark Double Pantile       | EH_ |
| Landmark Double Roman         | EH_ |
| Landmark Slate 10             | EZ_ |
| Mini Stonewold                | EZ_ |
| Mockbond Mini Stonewold       | EZ_ |
| Mockbond Richmond 10          | EZ_ |
| Natural Slate                 | EL_ |
| Old Hollow Clay Pantile       | EH_ |
| Plain Tile                    | EP_ |
| Postel Clay                   | EH_ |
| Redland 49                    | EZ_ |
| Regent                        | EH_ |
| Renown                        | EZ_ |
| Richmond 10                   | EZ_ |
| Rosemary Clay Classic         | EP_ |
| Rosemary Clay Craftsman       | EP_ |
| Rosemary Craftsmen Ornamental | EP_ |
| Saxon 10                      | EZ_ |
| Stonewold II                  | EZ_ |
| Westminster Slate             | EZ_ |

**Imerys.**

| <b>Marley.</b>                                        |     |     |
|-------------------------------------------------------|-----|-----|
| Acme Double Chamber                                   |     | EP_ |
| Acme Single Chamber                                   |     | EP_ |
| Anglia                                                |     | EH_ |
| Ashdown Plain Tiles                                   |     | EP_ |
| Ashmore                                               | *   | EZ_ |
| Birkdale                                              |     | EL_ |
| Double Roman                                          | *   | EZ_ |
| Duo Edgemere                                          | *   | EZ_ |
| Duo Modern                                            | *   | EZ_ |
| Eco Ludlow Major                                      | *   | EZ_ |
| Eden                                                  |     | EH_ |
| Edgemere                                              | *   | EZ_ |
| Garsdale                                              |     | EL_ |
| Hawkins Plain Tiles                                   |     | EP_ |
| Lincoln                                               |     | EH_ |
| Ludlow Major                                          | *   | EZ_ |
| Ludlow Plus                                           | *   | EZ_ |
| Maxima Double Roman                                   |     | EH_ |
| Melodie                                               |     | EH_ |
| Modern                                                | *   | EZ_ |
| Mendip                                                |     | EH_ |
| Melbourne                                             | *   | EZ_ |
| Plain Tile                                            |     | EP_ |
| Rivendale                                             |     | EL_ |
| Thrutone                                              |     | EL_ |
| Vertigo                                               |     | EL_ |
| Wessex                                                | *   | EZ_ |
| * IF PITCH BELOW 20° DEFAULT TO EHN. Or if 10-15° EHA |     |     |
| <b>Marley Profiled Sheeting.</b>                      |     |     |
| Farmscape                                             | EH_ |     |
| Profile 3                                             | EZ_ |     |
| Profile 6                                             | EH_ |     |

| <b>Russells.</b>  |     |
|-------------------|-----|
| Argyll            | EZ_ |
| Cheviot           | EZ_ |
| Double Roman      | EZ_ |
| Galloway          | EZ_ |
| Grampian          | EZ_ |
| Highland          | EZ_ |
| Lothian           | EZ_ |
| Moray             | EZ_ |
| Pennine           | EZ_ |
| Plain             | EP_ |
| Plain Tile Blends | EP_ |
| Polden            | EZ_ |

| <b>Forticrete.</b>                                                                     |            |
|----------------------------------------------------------------------------------------|------------|
|                                                                                        |            |
| Centurion *1                                                                           | EHN + 15 ° |
| Gemini Twin                                                                            | EZ_        |
| Hardrow Slates (14mm)                                                                  | EZ_        |
| Mini Slate                                                                             | EZ_        |
| Plain Tile                                                                             | EP_        |
| Senator                                                                                | EHN        |
| SL8                                                                                    | EZ_        |
| V2 Tile *1                                                                             | EZ_ + 15 ° |
| PAN8                                                                                   | EZ_        |
| *1 = E_A NOT SUITABLE FOR LOW PITCH - DIRECT TO FORTICRETE ONLY ON LOW PITCH BELOW 15° |            |

| <b>Tudor.</b> |     |
|---------------|-----|
| Clay Peg      | EP_ |

**Ecodecking.**

|                     |     |
|---------------------|-----|
| 20x30               | EP_ |
| Acme Heather Blend  | EP_ |
| Beauvoise 20        | EZ_ |
| Double HP20         | EZ_ |
| Double Panne S      | EH_ |
| Graphite Slate      | EZ_ |
| HP10                | EZ_ |
| HP17                | EZ_ |
| Imerys Val de Seine | EP_ |
| Monopole No.1       | EZ_ |
| Panne H2            | EH_ |
| Phalempin           | EP_ |
| Single Panne S      | EH_ |
| Stretto             | EP_ |

|                     |     |
|---------------------|-----|
| <b>Bradstone .</b>  |     |
| Conservation Slate  | EZ_ |
| Cotswold            | EZ_ |
| Crofters Slates     | EZ_ |
| Old Quarried Slates | EZ_ |
| Heritage            | EZ_ |

|                                  |     |
|----------------------------------|-----|
| <b>Crest.</b>                    |     |
| Crest - G10 Interlocking         | EZ_ |
| Crest - H14 Interlocking PanTile | EH_ |
| Crest - S9 Interlocking          | EZ_ |
| Crest - Planum Flat Tile         | EZ_ |
| Crest - Nelskamp Double Roman    | EH_ |

|                               |     |
|-------------------------------|-----|
| <b>Northstone Materials .</b> |     |
| Donard                        | EZ_ |

|                                    |     |
|------------------------------------|-----|
| <b>Lifestyles.</b>                 |     |
| Wiltshire Handmade Plain Clay Tile | EP_ |

|                                        |     |
|----------------------------------------|-----|
| <b>Nulok Roof Installation System.</b> |     |
| Nulok                                  | EZ_ |

|                           |     |
|---------------------------|-----|
| <b>Lagan.</b>             |     |
| Square Top Concrete Tiles | EZ_ |
| Elite Flat Concrete Tiles | EZ_ |
| Double Role Concrete Tile | EH_ |
| Flat Tile                 | EZ_ |

|                |     |
|----------------|-----|
| <b>Keymer.</b> |     |
| Ornamental     | EP_ |
| Peg            | EP_ |
| Plain          | EP_ |

|                                 |     |
|---------------------------------|-----|
| <b>Dreadnought.</b>             |     |
| Classic Staffordshire Blue Clay | EP_ |
| Collingwood                     | EP_ |
| Dreadnought Classic             | EP_ |
| Dreadnought Range               | EP_ |
| Nelson                          | EP_ |
| Trafalgar                       | EP_ |

|                               |       |
|-------------------------------|-------|
| <b>RUUKKI Metal Cladding.</b> |       |
| Standing Seam System          | EBV_A |

|               |     |
|---------------|-----|
| <b>Quinn</b>  |     |
| Rathmore      | EZ_ |
| Western Slate | EZ_ |
| Locherne      | EZ_ |
| Devenish      | EZ_ |

|                                                     |     |
|-----------------------------------------------------|-----|
| <b>Sterreberg Courtrai Clay Reclaimed Roof Tile</b> |     |
| Sterreberg Courtrai Clay                            | EZ_ |

|                                          |     |
|------------------------------------------|-----|
| <b>Terreal.</b>                          |     |
| Terreal Grand Cru Flat Profile Clay Tile | EP_ |

|                                  |     |
|----------------------------------|-----|
| <b>(La Escandella) STONELEAF</b> |     |
| H-Selection Planum Tile          | EZ_ |
| H-Selection Innova Tile          | EZ_ |
| H-Selection Vienna Tile          | EZ_ |

|                    |     |
|--------------------|-----|
| Newpitch roofslate | EL_ |
|--------------------|-----|

|                                |              |               |
|--------------------------------|--------------|---------------|
| <b>Kingspan Panels.</b>        | <b>15° +</b> | <b>10-15°</b> |
| The KS1000 RT Roof Tile system | EZ_          | EZA-P         |

|                                |     |
|--------------------------------|-----|
| <b>Cembrit.</b>                |     |
| Cembrit Duquesa natural slates | EL_ |
| Cembrit Jutland Slates         | EL_ |
| Cembrit Moorland Slates        | EL_ |

|                                 |     |
|---------------------------------|-----|
| <b>Heritage Clay Tiles Ltd.</b> |     |
| Heritage Classic Clay           | EP_ |

|                             |     |
|-----------------------------|-----|
| <b>William Blyth.</b>       |     |
| Barco - Old English Pantile | EH_ |

|                                   |     |
|-----------------------------------|-----|
| <b>Greys Artstone.</b>            |     |
| Greys Artstone Reproduction Slate | EL_ |

|                       |     |
|-----------------------|-----|
| <b>Cupa Pizzarras</b> |     |
| Cupa 4                | EL_ |
| cupa 3 heavy          | EL_ |
| cupa H12              | EL_ |

|               |               |               |
|---------------|---------------|---------------|
| <b>Tapco.</b> | <b>10-15°</b> | <b>15-90°</b> |
| Tapco Slate   | ESA           | ELV           |

|                         |              |               |
|-------------------------|--------------|---------------|
| <b>TATA .</b>           | <b>15° +</b> | <b>10-15°</b> |
| Various - Speak to Tech | TBC.         | TBC.          |

|                   |              |               |
|-------------------|--------------|---------------|
| <b>Steadmans,</b> | <b>15° +</b> | <b>10-15°</b> |
| AS34/1000         | EZV-A        | EZA-P         |

|              |     |
|--------------|-----|
| <b>SSO</b>   |     |
| Sarria Slate | EL_ |

|              |     |
|--------------|-----|
| <b>Siga.</b> |     |
| Siga 37      | EL_ |

|                                 |     |
|---------------------------------|-----|
| <b>Terreal .</b>                |     |
| Terreal Rully Interlocking Tile | EZ_ |

|                         |     |
|-------------------------|-----|
| <b>Misc.</b>            |     |
| Collyweston Stone Slate | EZ_ |

|               |     |
|---------------|-----|
| <b>Catnic</b> |     |
| SSR2          | EB_ |

|                                |     |
|--------------------------------|-----|
| <b>TBS Specialist Products</b> |     |
| Cathedral Oak clay roof        | EP_ |

|                 |     |
|-----------------|-----|
| <b>Euroclad</b> |     |
| Elite           | EH_ |
| Vieo            | EB_ |

|                                   |     |
|-----------------------------------|-----|
| <b>SVK</b>                        |     |
| Montana                           | EL_ |
| Ardonit Smooth Fibre Cement Slate | EL_ |

|                     |     |
|---------------------|-----|
| <b>elZinc</b>       |     |
| elZinc square tiles | EB_ |

|                        |     |
|------------------------|-----|
| <b>Cardinal Slates</b> |     |
| Cardinal Slates        | EL_ |

|                |     |
|----------------|-----|
| <b>Cembrit</b> |     |
| Jutland Slate  | EL_ |
| Moorland Slate | EL_ |

|                          |     |
|--------------------------|-----|
| H-Selection Visum3 Tile  | EZ_ |
| H-Selection SelectumTile | EH_ |

| <b>SSAB - PLX Pro BT</b> |                       |
|--------------------------|-----------------------|
| GreenCoat PLX Pro BT     | EB_ or Kingspan & EKB |

| <b>Del Carmen Slate</b> |                           |
|-------------------------|---------------------------|
| Heavy Ultra 8-10mm      | EL_ (Not ELJ if over 8mm) |
| Heavy 7-9mm             | EL_ (Not ELJ if over 8mm) |
| Ultra 5-6mm             | EL_                       |
| First 5-6mm             | EL_                       |
| Celtas 5-7mm            | EL_                       |

| <b>Metro Tiles.</b> | <b>10-15°</b> | <b>15-90°</b> |                                                                             |
|---------------------|---------------|---------------|-----------------------------------------------------------------------------|
| Metrotile shingle   | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |
| Metrotile Bond      | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |
| Metrotile Slate     | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |

| <b>Decra Tiles.</b> | <b>10-15°</b> | <b>15-90°</b> |                                                                             |
|---------------------|---------------|---------------|-----------------------------------------------------------------------------|
| Decra Stratos       | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |
| Decra Classic       | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |


| <b>Britmet Tiles.</b> | <b>10-15°</b> | <b>15-90°</b> |                                                                             |
|-----------------------|---------------|---------------|-----------------------------------------------------------------------------|
| Various               | EZA-P         | EZ_           | Either flashing has to be fitted as per the EZ Notched Batten instructions. |

| <b>Bradclad Group</b> | <b>15° +</b> | <b>10-15°</b> |
|-----------------------|--------------|---------------|
| Pro-Seam Snaplock     | EB_          | EZA           |
| Pro-Seam Nail-strip   | EB_          | EZA           |
| Pro-seam Traditional  | EB_          | EZA           |
| Pro-Zip               | EB_          | EZA           |

| <b>Iconic Slate Ltd TA Galex</b>             | <b>15° +</b> | <b>10-15°</b> |
|----------------------------------------------|--------------|---------------|
| CS Plasma (Low Pitch interlocking clay tile) | EZ_          | EZA           |

## A basic guide to roof window installation heights and the meaning of the flashing codes in relation to the fitting heights.

Roof windows can be installed in the roof structure at three different levels:



N (3cm),

V (0cm),

J (-3cm).

Flashings are categorised accordingly. The last third letter of the flashing type code indicates the depth at which the roof window can be fitted. Specific flashings are available for less common roof coverings.

For example flashing **EZV** means:

**E** – Flashing

**Z** – Types of the roofing material

**V** – Level of installation

In the UK we recommend that the brackets are fitted onto the sides of the windows, and the tile battens then run in line with the relevant fitting depth line as per the below inserts from the fitting instructions.



