

One Resin.

Countless possibilities.

Restec Flexitec 2020 is a flexible, single-resin GRP system with full overlay and new deck waterproofing capabilities.

Combining the best elements of fibreglass with the versatility of overlay systems, no other flat roof system performs at this level across so many applications.



CHECK OUT OUR SOCIAL MEDIA!

f@cinv

Why choose FLEXITEC?

- Highly versatile and capable of coating virtually all common surfaces.
- V Ideal combination of flexibility and toughness.
- Only 30-60 mins cure time per coat genuinely rapid installations.
- BROOF(t4) Fire Rating for unrestricted use.
- 20 Year Materials Guarantee accessible to trained installers.
- LABC Registered Detail for assured compliance with building regulations.





FLEXITEC Components



FLEXITEC RESIN

Main liquid component used for both the base & top coats.

Code

Pack Size

Coverage 20kg 7.4 - 10.6m²

3.7 - 5.3m²

FLEXITEC PRIMER

A universal primer for most surfaces including felt, asphalt, concrete, PVC single ply & timber.

Pack Size

Coverage

Code

POWDER HARDENER

Added to Flexitec 2020 Resin & Primer to trigger curing process.

Pack Size

Code



LEXITE PRIM

RESTEC 225g/m²

embedded in the first coat.



Pack Size

Coverage

Code

FLEXITEC 10M² ROOF KIT



EVERYTHING YOU NEED IN ONE BOX!

Pack Contains

Code

FLEXITEO **DETAILER**

A flexible, fibre-reinforced resin for use on roof detailing, inaccessible areas, levelling & minor repairs.



Coverage

Pack Size

Code

METAL DETAILING

PRIMER

A single pack, fast drying metal primer in a resealable 250ml tin.



Pack Size Coverage Code

6x 250ml 10-30m²

SP PRIMER



Pack Size Coverage Code

ACETONE



Pack Size

Code

ACCEL FRATORS

Summer inhibitor also available.



Pack

Coverage

Code

Check out our full range:





FLEXITEC Balcony System

Balcony & Walkway Finishes: FLEXITEC offers a seamless, durable and attractive finish for balconies, walkways and terraces. When used in conjunction with the FLEXITEC Balcony Sealer, a high-performance PMMA finishing resin, the system provides an extremely hard wearing finish that can accommodate heavy foot traffic and balcony usage.

QUARTZ SAND AGGREGATE

with FLEXITEC BALCONY SEALER - Light Grey

QUARTZ SAND AGGREGATE with FLEXITEC BALCONY SEALER - Dark Grev

QUARTZ SAND AGGREGATE with FLEXITEC BALCONY SEALER- Clear

BARN OWL BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

VINEYARD BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

6 HILLSIDE BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

BAYSIDE BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

HARVEST BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

MIST BLEND AGGREGATE with FLEXITEC BALCONY SEALER - Clear

10 GREEN MINERAL SLATE CHIPPINGS Suitable for occasional foot traffic only.

11) BLUE MINERAL SLATE CHIPPINGS Suitable for occasional foot traffic only.

Download

Manual

MOST CUSTOMERS WILL PREFER LIGHT GREY FLEXITEC 2020 BENEATH THE GRIT AS IT HELPS SHOWCASE THE AGGREGATE COLOUR.

SAMPLES ARE AVAILABLE FROM RESTEC ON REQUEST

NOT SURE ON **OUANTITY?**

Our team of experts are on hand to help vou estimate materials for a job. 0845 4504 193







Call: 0845 4504 193

FLEXITE Applications

Depending on the type, roughness and porosity of the surface to be coated, the priming requirements and amount of material required can vary. The table below outlines suitable substrates, primers and typical coverage rates.

