



THE WORLD LEADER IN LADDERS™

*Quick and easy access to your loft space with the Werner loft ladder range*



The Complete Werner  
Timber and Aluminium  
Loft Ladder Range

See the full range at [wernerladder.co.uk](http://wernerladder.co.uk)

# WERNER LOFT LADDERS

Our wide range of loft ladders in timber and aluminium provide easy loft access and comes in a variety of sizes.

## **EASY**

*and quick  
to install with  
step by step  
instructions*



*Stowing pole  
included with all  
loft ladders*

*Available for  
ceiling heights  
to suit your  
needs*

*Conforms to  
BS14975:2006*




3 Section  
**COMPLETE  
 LOFT LADDER  
 KIT  
 TIMBER**

**150kg**

**LOAD CAPACITY**

*(Load includes user, tools, materials, etc.)*



**Model  
 76103**

**A complete loft access solution including ladder, loft surround, 26mm insulated trapdoor and spring assisted stowage**

Wide and deep spruce treads for comfort when climbing

Uses no further loft floor space - ladder stores within trapdoor



**Suitable for heights up to 2.8m (9'2")**

**SPECIFICATIONS**

Product Code	Sections	Max. Floor to Ceiling Height	Min. Loft Opening Size (LxW)	Min. Clearance Arc	Min. Storage Space
76103	3	2.80m (9'2")	1.13m x 0.55m (3'9" x 1'10")	N/A	N/A

3 Section  
**HIDEAWAY**  
**LOFT**  
**LADDER**  
**TIMBER**  
 150kg

**LOAD CAPACITY**  
 (Load includes user, tools, materials, etc.)



**Model**  
**76105**

Stows within trapdoor

Includes handrail for added safety

White trapdoor with plastic architraves and rubber draught excluder to prevent loss of heat and draughts


Anti-slip treads for comfortable climbing

Plastic slip-resistant feet for extra security

**Suitable for heights up to 2.8m (9'2")**

**3 section folding loft ladder including 36mm insulated trapdoor with assisted stowage**

Requires no headroom or storage in the loft



**SPECIFICATIONS**

Product Code	Sections	Max. Floor to Ceiling Height	Min. Loft Opening Size (LxW)	Min. Clearance Arc	Min. Storage Space
76105	3	2.85m (9'4")	1.13m x 0.54m (3'9" x 1'9")	N/A	N/A

2 Section

# LOFT LADDER ALUMINIUM

150kg


**LOAD CAPACITY**

(Load includes user, tools, materials,  
etc.)

**Model  
76002**

**2 section loft ladder  
with handrail, comes  
with universal stowing  
pole. Compatible with  
most loft hatches**

Slip-resistant 'D' rungs  
for comfort and security



Plastic slip-resistant feet  
for extra security

Includes handrail  
for added safety

Locking catches  
for added safety

**Suitable for  
heights up to  
2.69m (8'10")**

Floor Thickness	Minimum Loft Opening Length
7.6cm (3")	0.49m (1'7")
10.2cm (4")	0.50m (1'8")
12.7cm (5")	0.51m (1'8")
15.3cm (6")	0.53m (1'9")
17.8cm (7")	0.54m (1'9")
20.3cm (8")	0.55m (1'9")

## SPECIFICATIONS

Product Code	Sections	Max. Floor to Loft Floor Height	Min. Floor to Loft Floor Height	Min. Loft Opening Width	Min. Clearance Arc	Min. Storage Space
76002	2	2.69m (8'10")	2.13m (7')	0.38m (1'3")	0.71m (2'4")	1.27m (4'2")



3 Section

# LOFT LADDER ALUMINIUM


150kg

**LOAD CAPACITY**

(Load includes user, tools, materials, etc.)

**3 section loft ladder with handrail, comes with universal stowing pole. Compatible with most loft hatches**

Compact sections to take up less space when stored in loft



Slip-resistant 'D' rungs for comfort and security

Plastic slip-resistant feet for extra security

**Model  
76003**

Includes handrail for added safety

Locking catches for added safety

**Suitable for heights up to 3m (9'10")**

Floor Thickness	Minimum Loft Opening Length
7.6cm (3")	0.40m (1'4")
10.2cm (4")	0.41m (1'4")
12.7cm (5")	0.43m (1'5")
15.3cm (6")	0.44m (1'5")
17.8cm (7")	0.45m (1'6")
20.3cm (8")	0.46m (1'6")

## SPECIFICATIONS

Product Code	Sections	Max. Floor to Loft Floor Height	Min. Floor to Loft Floor Height	Min. Loft Opening Width	Min. Clearance Arc	Min. Storage Space
76003	3	3.00m (9'10")	2.13m (7')	0.38m (1'3")	0.71m (2'4")	1.20m (3'8")

# 3 Section EASY STOW LOFT LADDER ALUMINIUM

150kg

LOAD CAPACITY

(Load includes user, tools, materials, etc.)

3 section loft ladder with spring assisted 'Easy Stow' system gives total control when lowering or stowing the loft ladder

Plastic slip-resistant feet for extra security

**Model  
76013**


Extended in-loft handrail for added safety

Locking catches for added safety

Slip-resistant 'D' rungs for comfort and security

**Suitable for heights up to 3m (9'10")**

Floor Thickness	Minimum Loft Opening Length
7.6cm (3")	0.40m (1'4")
10.2cm (4")	0.41m (1'4")
12.7cm (5")	0.43m (1'5")
15.3cm (6")	0.44m (1'5")
17.8cm (7")	0.45m (1'6")
20.3cm (8")	0.46m (1'6")



## SPECIFICATIONS

Product Code	Sections	Max. Floor to Loft Floor Height	Min. Floor to Loft Floor Height	Min. Loft Opening Width	Min. Clearance Arc	Min. Storage Space
76013	3	3.00m (9'10")	2.13m (7')	0.38m (1'3")	0.71m (2'4")	1.12m (3'8")

# WERNER LOFT LADDER RANGE AT A GLANCE

Code	76103	76105	76002	76003	76013
Description	Complete Loft Access Kit	HideAway Loft Ladder	2 Section Loft Ladder	3 Section Loft Ladder	Easy Stow 3 Section Loft Ladder
Material	Timber	Timber	Aluminium	Aluminium	Aluminium
Minimum Floor to Loft Floor Height (m)	-	-	2.13	2.13	2.13
Maximum Floor to Loft Floor Height (m)			2.69	3	3
Max. Floor to Ceiling Height (m)	2.8	2.8	-	-	-
Minimum Hatch size (m)	1.13 x 0.55	1.13 x 0.54	0.55 x 0.38	0.46 x 0.38	0.46 x 0.38
Minimum Clearance Arc (m)	-	-	0.71	0.71	0.71
Minimum Length Behind Hatch (m)	-	-	1.27	1.20	1.12
Maximum Load Capacity (kg)	150	150	150	150	150
Loft Hatch and Trapdoor included	✓	✓	-	-	-
Trapdoor Insulation thickness (mm)	26	36	-	-	-
Casing Size L x W (m)	1.13 x 0.55	1.13 x 0.54	-	-	-
Spring-assisted stowing	✓	✓	-	-	✓
Conforms to EN 14975	✓	✓	✓	✓	✓
Handrail	-	✓	✓	✓	✓
Plastic feet	-	✓	✓	✓	✓
Universal Stowing Pole	✓	✓	✓	✓	✓
Extension Kit	✓	✓	-	-	-